

Meeting Date: December 1, 2014

Meeting Start Time: 7: 15PM

Board Members Present: Hillman, Fair, Phillips and Zipkowitz

Absent: Dauchy

Clerk: Susan Nagy

1. Received Title 5 Inspection Report dated 11/19/2014 from Greg's Waste Water Removal for **7 Old Long Plain Rd.**, owner Diane Bella. System passes. Received from Diane Bella, check# 6821, dated 11/19/2014 for \$150.00 for Title 5 Inspection.
2. Received Bacteriological Report from Quabbin Analytical dated 10/7/2014 for Leverett Coop. Absent of Coliform.
3. Received FCSWMD (Franklin County Solid Waste Solid Management District) Transfer Station Inspection Report dated 11/17/2014.  
Actions needed:
  1. Windblown litter needs to be picked up around the paper recycling roll off. This should be done before snow fall.
  2. Refrigerator doors need to be removed when appliance is delivered to the facility.
  3. The facilities permit requires a methane gas detector in the attendant's shed. This needs to be purchased and operating by 12/31/2014.
4. Received notice from WMECO regarding herbicide applications for 2015.
5. Received COC (Certificate of Compliance) for **55 Number 6 Rd.**, owners Ed and Diane Appel. COC signed by Designer Alan Weiss RS and Rich Misterka, Installer. "As built" plans also received from Alan Weiss, RS.
6. Received DSCP Application from Sirinam Khalsa, owner **131 Montague Road**. Assigned DSCP#R2014-12-01A. DSCP was signed by consensus by Zipkowitz.

Adjourned 7:50 PM Next meeting December 15, 2014 7:00 PM

Sue Nagy,

Clerk